

TABLE OF CONTENTS

CHAPTER	Page
1 INTRODUCTION	1
BACKGROUND	1
RESEARCH OBJECTIVE	4
SCOPE AND LIMITATION OF THE THESIS	4
ANTICIPATED OUTCOMES OF THE THESIS	4
THESIS STRUCTURE	4
2 THEORY AND LITERATURE REVIEWS	5
THERMOELECTRIC EFFECT	5
Seebeck effect	5
Peltier effect	7
Thomson effect	8
The kelvin relationships	8
DIMENSIONLESS FIGURE OF MERIT AND THERMOELECTRIC PARAMETERS ...	9
Seebeck coefficient	10
Electrical conductivity	10
Thermal conductivity	11
ENERGY CONVERSION EFFICIENCY	13
THERMOELECTRIC MATERIALS	16
State-of-the-art materials	16
CaMnO_3	17
$\text{Ca}_3\text{Co}_4\text{O}_9$	20
Thermoelectric module	22
Application of thermoelectric generators	23
LITERATURE REVIEWS	24

TABLE OF CONTENTS (continued)

CHAPTER	Page
3 MATERIALS AND METHODOLOGY	34
SYNTHESIS AND PREPARATION THERMOELECTRIC MATERIALS	34
Synthesis $\text{Ca}_{1-x}\text{Bi}_x\text{MnO}_3$ and $\text{Ca}_3\text{Co}_4\text{O}_9 + \text{Ag}$ 10 wt% powder thermoelectric materials	34
Preparation $\text{Ca}_{1-x}\text{Bi}_x\text{MnO}_3$ and $\text{Ca}_3\text{Co}_4\text{O}_9 + \text{Ag}$ 10 wt% bulk thermoelectric materials	37
Annealing bulk samples	39
CHARACTORIZATION TECHNIQUES	42
X-ray diffraction	42
Scanning electron microscopy	43
Archimedes density measurement	43
THERMOELECTRIC PROPERTIES MEASUREMENTS	44
Seebeck coefficient and electrical resistivity measurements	44
Thermal conductivity measurement	46
THERMOELECTRIC SUBSTRATE	47
Preparation thermoelectric substrate	47
Etching thermoelectric substrate	50
FABRICATION THERMOELECTRIC CELL AND MODULE	51
Fabrication thermoelectric cell	51
Fabrication thermoelectric module	52
POWER GENERATION MEASUREMENT OF THERMOGENERATOR	54
THERMOGENERATOR APPLICATION	55

TABLE OF CONTENTS (continued)

CHAPTER	Page
4 RESULTS AND DISCUSSION	58
SYNTHESIS $\text{Ca}_{1-x}\text{Bi}_x\text{MnO}_3$ AND $\text{Ca}_3\text{Co}_4\text{O}_9 + \text{Ag}$ 10 wt% POWDER	
THERMOELECTRIC MATERRIALS	58
Synthesis powder of $\text{Ca}_{1-x}\text{Bi}_x\text{MnO}_3$	58
Synthesis Powder of $\text{Ca}_3\text{Co}_4\text{O}_9 + \text{Ag}$ 10 wt%	67
THERMOELECTRIC CELL	75
THERMOELECTRIC MODULE	76
THERMOGENERATOR APPLICATION	79
5 CONCLUSION	80
THERMOELECTRIC MATERIALS	80
$\text{Ca}_{1-x}\text{Bi}_x\text{MnO}_3$ ($x = 0.00, 0.01, 0.02, 0.03, 0.04, 0.05$)	80
$\text{Ca}_3\text{Co}_4\text{O}_9 + \text{Ag}$ 10 %wt	81
THERMOELECTRIC CELL AND MODULE	82
THERMOGENERATOR APPLICATION	82
SUGGESTION	82
Thermoelectric materials	82
Thermoelectric cell and module	83
Thermogenerator application	83
REFFERENCE	84
APPENDICES	92
APPENDICE A: ADDITIONAL PHASE DIAGRAMS	93
APPENDICE B: INTERNATIONAL CONFERENCES	95
APPENDICE C: PUBLICATIONS	97
APPENDICE D: A BRIEF HISTORY OF RESEARCHER	109

LIST OF TABLES

Table	Page
1 List of chemicals used for solid state reaction method their formula, supplier and purity	35
2 List of equipment used for synthesis of powder, preparation of bulk, characterization and measurement of thermoelectric properties together with their model and area of application	35
3 Lattice parameters, densities of $\text{Ca}_{1-x}\text{Bi}_x\text{MnO}_3$ ($x = 0, 0.01, 0.02, 0.03, 0.04$ and 0.05) samples	59

LIST OF FIGURES

Figure	Page
1 Statistics of an annual production electricity and system requirements from the Electricity Generating Authority of Thailand	1
2 Schematic comparison of various TE materials in terms of the applicable temperature range, abundance and environmental effect	2
3 The Schematic illustration of a TE device	3
4 Schematic illustration of Seebeck effect between two dissimilar materials with junctions held at different temperatures where $T_h > T_c$. Arrow indicates the direction of current flow	5
5 Schematic illustration of Peltier effect in a thermocouple. The electron current flow in p and n materials which generate the heat current flow. The T_h and T_c are the temperature of hot end and cold end, respectively.....	7
6 Thermal conductivity dependence on carrier concentration.....	11
7 Generating efficiency as a function of temperature and thermoelectric material figure-of-merit	13
8 Summary of the temperature dependence of ZT of thermoelectric n- and p-type materials. Reprinted with permission from Rull-Bravo et al.	16
9 Schematic representations of a) an orthorhombic crystal structure and b) an orthorhombic unit cell (black lines) derived from a pseudo-cubic one (grey lines). Blue spheres correspond to A-sites, green spheres to B-sites, and red spheres to oxygen	18

LIST OF FIGURES (Continued)

Figure	Page
10 Schematic illustrations of layered cobalt based oxide structures CoO ₂ layers consisting of edge-shared CoO ₆ octahedral exist Ca ₃ Co ₄ O ₉	20
11 Energy band structure of (a) Ca _{0.875} Na _{0.125} MnO ₃ and (b) Ca _{0.875} Ga _{0.125} MnO ₃	25
12 Image of a thermoelectric unicouple composed of p-type Co-349 and n-type Ni-113 oxide materials (left) and scanning electron microscopic images at p-leg/Ag junctions containing (a) 0 and (b) 6 wt.% of Co-349 powder after the heating-cooling cycle (right)	29
13 Image of a thermoelectric 140 pair composed of p-type Co-349 and n -type Ni-113 oxide materials (left) and thermoelectric generation characteristics of the oxide module (right)	30
14 Photograph of the oxide thermoelectric module for power generation measurements with eight p-n couples, taken after several power generation measurements	31
15 Photographs of four-pair Π-shaped thermoelectric modules with Ag electrode (left) and maximum output powers of 1-, 2-, and 4-pair modules as a function of hot-side temperature (right).....	31
16 Water cooling system and integration thermoelectric module on wood stove..	32
17 The prototype stoves (left) and power generation depend temperature (right).....	33
18 Schematic view of hot press machine and working chamber	37

LIST OF FIGURES (Continued)

Figure	Page
19 Schematic of heating program for hot pressing of dense bodies used for all samples in Ar gas 0.08 MPa	38
20 Schematic of heating program used for annealing of the samples with indicated heating /cooling rates in air.....	39
21 Flowchart illustrating $\text{Ca}_{1-x}\text{Bi}_x\text{MnO}_3$ ($x=0-0.05$) synthesis process	40
22 Flowchart illustrating $\text{Ca}_3\text{Co}_4\text{O}_9 + \text{Ag}$ 10 wt% synthesis process	41
23 X-ray diffraction (a) and construction of an X-ray diffractometer (b) (Myers 1997)	42
24 Conceptual diagram of ZEM-3 system.....	46
25 A conceptual diagram of steady state system for measure thermal conductivity	47
26 Flowchart illustrating thermoelectric substrate prepared by AMB process	49
27 Process of thermoelectric substrate etched by nitric acid.....	50
28 Process of fabrication thermoelectric cell	51
29 Process of fabrication thermoelectric module.....	52
30 Flowchart illustrating fabrication of thermoelectric module.....	53
31 Power generation measurement of thermogenerator	54
32 Thermogenerator and cooling water	55
33 Thermogenerator system for furnace heat source.....	56
34 Brick before firing (left) and Brick before firing (right)	57

LIST OF FIGURES (Continued)

Figure	Page
35 XRD patterns of $\text{Ca}_{1-x}\text{Bi}_x\text{MnO}_3$ powders for ($x = 0.00, 0.01, 0.02, 0.03, 0.04, 0.05$) samples at room temperature	58
36 SEM images of bulk $\text{Ca}_{1-x}\text{Bi}_x\text{MnO}_3$ (a) $x = 0.00$, (b) $x = 0.01$, (c) $x = 0.02$, (d) $x = 0.03$, (e) $x = 0.04$ and (f) $x = 0.05$ samples.....	60
37 The temperature dependent Seebeck coefficient of $\text{Ca}_{1-x}\text{Bi}_x\text{MnO}_3$ samples....	61
38 The temperature dependent electrical resistivity of $\text{Ca}_{1-x}\text{Bi}_x\text{MnO}_3$ samples	62
39 The temperature dependent of power factor for $\text{Ca}_{1-x}\text{Bi}_x\text{MnO}_3$ samples	63
40 The temperature dependent total thermal conductivity for all sample at temperature range of 300 to 473K	64
41 The temperature dependent of electronic thermal conductivity for all sample at temperature range of 300 to 473K.....	64
42 The temperature dependent of lattice thermal conductivity for all sample at temperature range of 300 to 473K	65
43 The relationship between temperature dependent ZT for $\text{Ca}_{1-x}\text{Bi}_x\text{MnO}_3$ samples.....	66
44 XRD patterns of sintered bulk $\text{Ca}_3\text{Co}_4\text{O}_9 + \text{Ag}$ 10 wt% and $\text{Ca}_3\text{Co}_4\text{O}_9$	67
45 Temperature dependence of Seebeck coefficient for $\text{Ca}_3\text{Co}_4\text{O}_9 + \text{Ag}$ 10 wt% and $\text{Ca}_3\text{Co}_4\text{O}_9$	69
46 Temperature dependence of electrical resistivity for $\text{Ca}_3\text{Co}_4\text{O}_9 + \text{Ag}$ 10 wt% and $\text{Ca}_3\text{Co}_4\text{O}_9$	70

LIST OF FIGURES (Continued)

Figure	Page
47 Temperature dependence of power factor for $\text{Ca}_3\text{Co}_4\text{O}_9 + \text{Ag}$ 10 wt% and $\text{Ca}_3\text{Co}_4\text{O}_9$	71
48 Temperature dependence of thermal conductivity for $\text{Ca}_3\text{Co}_4\text{O}_9 + \text{Ag}$ 10 wt% and $\text{Ca}_3\text{Co}_4\text{O}_9$	72
49 Temperature dependence of electronic thermal conductivity for $\text{Ca}_3\text{Co}_4\text{O}_9 + \text{Ag}$ 10 wt% and $\text{Ca}_3\text{Co}_4\text{O}_9$	72
50 Temperature dependence of lattice thermal conductivity for $\text{Ca}_3\text{Co}_4\text{O}_9 + \text{Ag}$ 10 wt% and $\text{Ca}_3\text{Co}_4\text{O}_9$	73
51 The temperature dependence of the dimensionless figure of merit (ZT)	74
52 Relationship between voltages, electrical power and temperature difference of Π -shape thermoelectric cell 2 pair at high temperature	75
53 Relationship between voltages, electrical power and temperature difference of Π -shape thermoelectric module at high temperature	76
54 The $I-V$ and $I-W$ curves of 32 pair thermoelectric module as a function of temperature difference at $T_h = 730$ K.....	77
55 The $I-V$ and $I-W$ curves of 50 pairs thermoelectric module commercial as a function of temperature difference at $T_h = 758$ K.....	77
56 The stability of thermoelectric module at high temperature at 730 K.....	78
57 The relationship between electric power and temperature difference of Thermoenerator system and charging to battery.....	79