

REFERENCES

- Adachi, H., Shiokawa, S., & Tsukada, M. (1979). Discrete variational $X\alpha$ cluster calculations III, Application to transition metal complexes. *Journal of the Physical Society of Japan*, *47*, 1528–1537.
- Adachi, H., Tsukada, M., & Satoko, C. (1978). Discrete variational $X\alpha$ cluster calculations I, Application to metal clusters. *Journal of the Physical Society of Japan*, *45*, 875–883.
- Aliofkhazraei, M. (2015). *Nanoparticles technology*. Croatia: InTech.
- Ansell, G.B., Modrick, M.A., Longo, J.M., Poeppelmeier, K.R., & Horowitz, H.S. (1982). Structure of Calcium Manganese Oxide $\text{Ca}_2\text{Mn}_3\text{O}_8$. *Acta Crystallographica*, *B38*, 1795–1797.
- Bixon, M., & Jortner, J. (1968). Intramolecular radiationless transitions. *Journal of Chemical Physics*, *48*, 715–26.
- Born, M., & Huang, K. (1954). *Dynamical Theory of crystal lattice, app. VIII*. Oxford: Clarendon Press.
- Born, M., & Oppenheimer, R. (1927). On the quantum theory of molecules. *American Journal of Physics*, *84*, 457–484.
- Buckingham, R. A. (1938). Proceedings of the royal society of London. series A. *Modern Psychological Studies*, *168*, 264–283.
- Cardoso, C., Borges, R.P., Gasche, T., & Godinho, M. (2008) Ab-initio calculations of the Ruddlesden–Popper phases CaMnO_3 , $\text{CaO}(\text{CaMnO}_3)$ and $\text{CaO}(\text{CaMnO}_3)_2$. *Journal of Physics: Condensed Matter*, *20*, 035202.
- Dove, M.T. (2005). *Introduction to lattice dynamics: part of Cambridge topics in mineral physics and chemistry*. Cambridge: University of Cambridge Press.
- Feipeng, Z., Baocheng, N., Kunshu, Z., Xin, Z., Qingmei, L., & Jiuxing, Z. (2013). Effects of praseodymium doping on thermoelectric transport properties of CaMnO_3 compound system. *Journal of Rare Earths*, *31*, 885–890.

- Funahashi R., Kosuga, A., Miyasou, N., Takeuchi, E., Urata, S., Lee, K., Ohta, H., & Koumoto, K. (2008). Thermoelectric properties of CaMnO₃ system. IEEE Proceeding 2007 International Conference on Thermoelectrics, Jeju Island, 124–128. doi: 10.1109/ICT.2007.4569439.
- Funahashi, R., & Matsubara, I. (2001). Thermoelectric properties of Pb- and Ca-doped (Bi₂Sr₂O₄)_xCoO₂ whiskers. *Applied Physics Letters*, 79, 362–4.
- Funahashi, R., Matsubara, I., & Sodeoka S. (2000). Thermoelectric properties of Bi₂Sr₂Co₂O_x polycrystalline materials, *Applied Physics Letters*, 76, 2385–2387.
- Girifalco, L.A., & Weizer, V.G. (1959). Application of the Morse potential function to cubic metals, *Physical Review*, 114, 687–690.
- Hartree, D. R. (1928). The wave mechanics of an atom with a non-Coulomb central field. Part I. Theory and methods, *Proceedings of the Cambridge Philosophical Society*, 24, 89–110.
- Johnson, R.R. & Kohlmeier, A. (2014). About Carbon / Boron Nitride nanostructure builder plugin. Available from <http://www.ks.uiuc.edu/Research/vmd/plugins/nanotube>.
- Kabir, R., Tian, R., Zhang, T., Donelson, R., Teck Tan, T., & Li, S. (2015). Role of Bi doping in thermoelectric properties of CaMnO₃. *Journal of Alloys and Compounds*, 628, 347–351.
- Kafash, S., Moghadam, G.T., Kompany, A., & Hosseini, S.M. (2010, November). *Structure and electrical properties of CaMnO₃ nanopowers prepared by sol-gel method*. International Congress on Nanoscience and Nanotechnology, Shiraz, Iran.
- Kawamura, K., & Hirako, K. (1994). *Material design using personal computer*. Tokyo: Shokabo.
- Kittel, C. (1976). *Solid state physics*. New York: John Wiley & Sons Inc.
- Kittel, C., & Kroemer, H. (1980). *Thermal Physics*, 2nd ed., San Francisco: Freeman.

- Kohn, W., & Sham, L.J. (1965). Self-consistent equations including exchange and correlation effects. *Physical Review A*, 140, A1133.
- Kostyrko, T., Bartkowiak, M., & Mahan, G.D. (1999a). Localization in carbon nanotubes within a tight-binding model. *Physical Review B*, 59, 3241.
- Kostyrko, T., Bartkowiak, M., & Mahan, G.D. (1999b). Localization in carbon nanotubes within a tight-binding model. *Physical Review B*, 60, 10735.
- Lai, Y.-C., Tsai, H.-J., Hung, C.-I., Fujishiro, H., Naito, T., & Hsu W.-K. (2014). Carbon nanotubes enhanced Seebeck coefficient and power factor of rutile TiO₂. *Physical Chemistry Chemical Physics*, 17, 8120–4.
- Lan, J., Lin, Y., Mei, A., Nan, C., Liu, Y., Zhang, B., & Li, J. (2009). High-temperature electric properties of polycrystalline La-doped CaMnO₃ ceramics. *Journal of Materials Science & Technology*, 25, 535–538.
- Lemonnier, S., Guilmeau, E., Goupil, C., Funahashi, R. & Noudem, J.G. (2010). Thermoelectric properties of layered Ca_{3.95}RE_{0.05}Mn₃O₁₀ compounds. (RE = Ce, Nd, Sm, Eu, Gd, Dy), *Ceram. Ini.*, 36, 887–891.
- Lennard-Jones, J.E. (1924). On the determination of molecular fields. *Proceedings of the Royal Society of London A*, 106, 463–477.
- Li, H., Cai, K.F., Wang, H.F., Wang, L., Yin, J.L., & Zhou, C.W. (2009). The influence of co-doping Ag and Sb on microstructure and thermoelectric properties of PbTe prepared by combining hydrothermal synthesis and melting. *Journal of Solid State Chemistry*, 182, 869–874.
- Linh, N.H., Trang, N.T., Cuong, N.T., Thao, P.H., & Cong, B.T. (2010). Influence of doped rare earth elements on electronic properties of the R_{0.25}Ca_{0.75}MnO₃ systems. *Computational Materials Science*, 50, 2–5.
- Loiseau, A., Launois, P., Petit, P., Roche, S., & Salvetat, J.-P. (2006). *Understanding Carbon nanotubes: from basics to applications*, 3rd Ed., Heidelberg: Springer.
- Mahan, G.D. (2004). Impurity resonances in carbon nanotubes. *Physical Review B*, 69, 125407.

- Mahan, G.D., & Jeon, G.S. (2004). Flexure modes in carbon nanotubes. *Physical Review B*, 70, 075405.
- Masset, A.C., Michel, C., Maignan, A., Hervieu, M., Toulemonde, O., Studer, F., & Raveau, B. (2000). Misfit-layered cobaltite with an anisotropic giant magnetoresistance: $\text{Ca}_3\text{Co}_4\text{O}_9$, *Physical Review B*, 62, 166–175.
- Morse, P.M. (1929). Diatomic molecules according to the wave mechanics. II. vibrational levels. *Physical Review*, 34, 57–65.
- Mouyane, M., Itaailit, B., Bernard, J., Houivet, D., & Noudem, G.J. (2014). Flash combustion synthesis of electron doped- CaMnO_3 thermoelectric oxides, *Powder Technology*, 264, 71–77.
- Ohtaki, M., Koga, H., Tokunaga, T., Eguchi, K., & Arai, H. (1995). Electrical transport properties and high-temperature thermoelectric performance of $(\text{Ca}_{0.9}\text{M}_{0.1})\text{MnO}_3$ ($\text{M}=\text{Y}, \text{La}, \text{Ce}, \text{Sm}, \text{In}, \text{Sn}, \text{Sb}, \text{Pb}, \text{Bi}$), *Journal of Solid State Chemistry*, 120, 105–111.
- Park, J.W., Kwak, D.H., Yoon, S.H., & Choi, S.C. (2009). Thermoelectric properties of Bi, Nb co-substituted CaMnO_3 at high temperature. *Journal of Alloys and Compounds*, 487, 550–555.
- Poudel, B., Hao, Q., Ma, Y., Lan, Y., Minnich, A., Yu, B., Yan, X., Wang, D., Muto, A., Vashaee, D., Chen, X., Liu, J. Dresselhaus, M.S., Chen, G., & Ren, Z. (2008). High-thermoelectric performance of nanostructured bismuth antimony telluride bulk alloys. *Science*, 320, 634–638.
- Reich S., Thomsen C., & Maultzsch, J. (2004). *Carbon nanotubes: basic concepts and physical properties*. Berlin: Wiley–VCH.
- Reller, A., Jefferson, D.A., Thomas, J.M. & Uppal, M.K. (1983). Oxygen vacancy ordering in a selective oxidation catalyst: $\text{CaMnO}_{2.8}$. *Journal of Physical Chemistry*, 87, 913–914.
- Rittiruam, M., Vora-ud, A., & Seetawan, T. (2015) Determining Seebeck coefficient of ZnSb by molecular orbital method. *Journal of Materials Science and Applied Energy*, 4(1), 1–4.

- Rittiruam, M., Wattanasarn, H., & Seetawan, T. (2014). Thermophysical Properties of $\text{Ca}_{1-x}\text{Eu}_x\text{MnO}_3$ ($X=0, 0.05, 0.10, 0.15$) by Classical Molecular Dynamics method. *Chiang Mai University Journal of Natural Sciences: Special Issue on Physics*, 13, 585–593.
- Romero, H.E., Sumanasekera, G.U., Mahan, G.D., & Eklund, P.C. (2002). Thermoelectric power of single-walled carbon nanotube films. *Physical Review B*, 65, 205410
- Rowe, D.M. (2006). *Thermoelectrics handbook: micro to nano*. Boca Raton: CRC Press.
- Saito, R., Dresselhaus, G., & Dresselhaus, M.S. (1998). *Physical properties of Carbon nanotubes*. London: Imperial College Press.
- Sarman, S. & Evans, D.J. (1993). Statistical-mechanics of viscous-flow in nematic fluids. *Journal of Chemical Physics*, 99, 9021–9036.
- Scarola, V.W., & Mahan, G.D. (2002). Phonon drag effect in single-walled carbon nanotubes, *Physical Review B*, 66, 205405.
- Seetawan, T. (2014). Theoretical analysis of the substitutable metal on the thermoelectric performance of CaMnO_3 . *Integrated Ferroelectrics*, 155, 9–14
- Seetawan, T., Singsoog, K., & Srichai, S. (2013). Feasible study of long thin N-CMO and P-CCO for thermoelectric generator. *Advanced Materials Research*, 622–623, 220–223.
- Seetawan, T., Vora-Ud, A., Chainaronk, P., Thanachayanont, C., & Amornkitbamrung, V. (2010). Evaluating Seebeck coefficient of Na_xCoO_2 from molecular orbital calculations. *Computational Materials Science*, 49, S225–S230.
- Slater, J.C. (1929). The theory of complex spectra. *Physical Review*, 34, 1293–1323.
- Slater, J.C. (1951). A simplification of the Hartree-Fock method, *Physical Review*, 81, 385–390.
- Slater, J.C. (1974). *Quantum theory of molecules and solids: the self-consistent field for molecules and solids*. vol. 4, New York: McGraw Hill.

- Sousa, D., Nunes, M.R., Silveira, C., Matos, I., Lopes, A.B., & Melo Jorge, M.E. (2008). Ca-site substitution induced a metal–insulator transition in manganite CaMnO_3 . *Materials Chemistry and Physics*, *109*, 311–319.
- Tanabe, T., Adachi, H., & Imoto, S. (1978). Hartree–Fock–Slater model cluster calculations. II. Hydrogen chemisorption on transition metal surfaces. *Japanese Journal of Applied Physics*, *17*, 49–58.
- Tang, G., Yang, W., Wen, J., Wu, Z., Fan, C., & Wang, Z. (2015). Ultralow thermal conductivity and thermoelectric properties of carbon nanotubes doped $\text{Ca}_3\text{Co}_4\text{O}_{9-\delta}$. *Ceramics International*, *41*, 961–965.
- Terasaki, I., Sasago, Y., & Uchinokura, K. (1997). Large thermoelectric power in NaCo_2O_4 single crystals. *Physical Review B*, *56*, R12685.
- Thongsri, P., & Seetawan, T. (2013). Decreased thermal conductivity of CaMnO_3 by added–CNTs. *Advanced Materials Research*, *770*, 327–330.
- Trang, N.T., Cong, B.T., Thao, P.H., Tan, P.T., Tho, N.D., & Nhat, H.N. (2011). Magnetic state of the bulk, surface and nanoclusters of CaMnO_3 : a DFT study. *Physica B*, *406*, 3613–3621.
- Tritt, T.M. (1999). Holey and unholey semiconductors, *Science*, *283*, 804–805.
- Vavro, J., Liaguno, M.C., Fischer, J.E., Ramesh, S., Saini, R.K., Ericson, L.M., Davis, V.A., & Smalley, R.E. (2003). Thermoelectric power of –doped single-Wall Carbon nanotubes and the role of phonon drag. *Physical Review Letters*, *90*, 065503
- Verlet, L. (1967). Experiments on classical fluids. I. thermodynamical properties of Lennard Jones molecules. *Physics Review*, *159*, 98–103.
- Villa, J.I., & Rodríguez, J.E. (2014). Structural, transport and thermoelectric properties of Nb-doped CaLaMnO Perovskite. *Physica B*, *455*, 22–25.
- Vora-Ud, A., Seetawan, T., Jugsujinda, J., Thanachayanont, C., & Amornkitbamrung, V. (2012). First–principles molecular orbital calculations of the electronic structure and thermoelectric properties of Sb_2Te_3 , *Chinese Journal of Physics*, *50*(5), 868–879.

- Wang, Y., Sui, Y., Wang, X., Su, W., Liu, X., & Fan, H.J. (2010). Thermal conductivity of electron-doped CaMnO_3 Perovskites: Local lattice distortions and optical phonon thermal excitation. *Acta Materialia*, 58, 6306–6316.
- Wigner, E. (1932). On the quantum correction for thermodynamic equilibrium. *Physical Review*, 40, 749–759.
- Wigner, E., & Seitz, F. (1934). On the constitution of metallic Sodium, II. *Physical Review*, 34, 509–524.
- Xu, G., Funahashi, R., Pu, Q., Liu, B., Tao, R., Wang, G., & Ding, Z. (2004). High-temperature transport properties of Nb and Ta substituted CaMnO_3 system. *Solid State Ionics*, 171, 147–151.
- Xu, G., Funahashi, R., Shikano, M., Matsubara, I., & Zhou, Y. (2002). Thermoelectric properties of the Bi- and Na-substituted $\text{Ca}_3\text{Co}_4\text{O}_9$ system. *Applied Physics Letters*, 80, 3760–62.
- Xu, G., Funahashi, R., Shikano, M., Matsubara, I., & Zhou, Y. (2002). Thermoelectric Properties of $\text{Bi}_{2.2-x}\text{Pb}_x\text{Sr}_2\text{Co}_2\text{O}_y$ System. *Journal of Applied Physics*, 91, 4344.
- Yamashita, T. (2007). Physical properties of Na doped CaMnO_3 . *Materials Chemistry and Physics*, 103, 461–464.
- Yan, Y.G., Wong-Ng, W., Li, L., Levin, I., Kaduk, J.A., Suchomel, M.R., Sun, X., Tan, G.J., & Tang, X.F. (2014). Structures and thermoelectric properties of double-filled $(\text{Ca}_x\text{Ce}_{1-x})\text{Fe}_4\text{Sb}_{12}$ skutterudites. *Journal of Solid State Chemistry*, 218, 221–229.
- Zeng, Z., Greenblatt, M., & Croft, M. (1999). Large magneto resistance in antiferromagnetic $\text{CaMnO}_{3-\delta}$. *Physical Review B*, 59, 8784–8788.
- Zhang, F.P., Lu, Q.M., Zhang, X., & Zhang, J.X. (2011). First principle investigation of electronic structure of CaMnO_3 thermoelectric compound oxide. *Journal of Alloys and Compounds*, 509, 542–545.

- Zhang, F.P., Lu, Q.M., Zhang, X., & Zhang, J.X. (2013). Electrical transport properties of CaMnO₃ thermoelectric compound: a theoretical study. *Journal of Physics and Chemistry of Solids*, 74, 1859–1864.
- Zhang, F.P., Zhang, X., Lu, Q.M., Zhang, J.X., & Liu, Y.Q. (2011). Electronic structure and thermal properties of doped CaMnO₃ systems, *Journal of Alloys and Compounds*, 509, 4171–4175.
- Zhang, F.P., Zhang, X., Lu, Q.M., Zhang, J.X., Liu, Y.Q., Fan, R.F., & Zhang, G.Z. (2011). Doping induced electronic structure and estimated thermoelectric properties of CaMnO₃ system. *Physica B*, 406, 1258–1262.
- Zhang, X.H., Li, J.C., Du, Y.L., Wang, F.N., Liu H.Z., Liu, J., Su, W.B., Wang, C.L., & Mei, L.M. (2015). Thermoelectric properties of A-site substituted Lanthanide Ca_{0.75}R_{0.25}MnO₃. *Journal of Alloys and Compounds*, 634, 1–5.
- Zhou, Q., & Kennedy, B.J. (2006). Thermal expansion and structure of orthorhombic CaMnO₃. *Journal of Physics and Chemistry of Solids*, 67, 1595–1598.
- Zhu, Y., Wang, C., Su, J., Li, J., Zhang, X., & Mei, L. (2015). Influence of rare-earth elements doping on thermoelectric properties of Ca_{0.98}Dy_{0.02}MnO₃ at high temperature. *Journal of Solid State Chemistry*, 225, 105–109.
- Zhu, Y., Wang, C., Su, W., Li, J., Liu, J., Du, Y., & Mei, L. (2014). High-temperature thermoelectric performance of Ca_{0.96}Dy_{0.02}RE_{0.02}MnO₃ ceramics (RE=Ho, Er, Tm). *Ceramics International*, 40, 15531–15536.
- Zhu, Y.-H., Su, W.-B., Liu, J., Zhou, Y.-C., Li, J., Yanling, Z., & Wang, C.-L. (2015). Effects of Dy and Yb co-doping on thermoelectric properties of CaMnO₃ ceramics. *Ceramics International*, 41, 1535–1539.
- Zwanzig, R. (1965). Time-correlation functions and transport coefficients in statistical mechanics. *Annual Review of Physical Chemistry*, 16, 67–102.