

## REFERENCES

អាជីវិយាមាន់រាជក្រឹតាភន្ទុ

- Allen, P. B., Pickett, W. E., & Krakauer, H. (1988). Anisotropic normal-state transport properties predicted and analyzed for high-T<sub>c</sub> oxide superconductors. *Physical Review B*, 37(13), 7482.
- Andersen, H. C. (1980). Molecular dynamics simulations at constant pressure and/or temperature. *The Journal of Chemical Physics*, 72(4), 2384–2393.
- Asahi, R., Morikawa, T., Hazama, H., & Matsubara, M. (2008). Materials design and development of functional materials for industry. *Journal of Physics: Condensed Matter*, 20(6), 064227.
- Aswal, D. K., Basu, R., & Singh, A. (2016). Key issues in development of thermoelectric power generators: High figure-of-merit materials and their highly conducting interfaces with metallic interconnects. *Energy Conversion and Management*, 114, 50–67.
- Bankina, V. F., Fedorova, O. P., & Leytus, G. M. (1993). X-ray study of TiNiSn and ZrNiSn intermetallics oxidation. In *Materials Science Forum* (Vol. 133, pp. 575–580). Trans Tech Publications.
- Baonza, V. G., Cáceres, M., & Núñez, J. (1995). Universal compressibility behavior of dense phases. *Physical Review B*, 51(1), 28.
- Berman, R. (1976). Thermal Conduction in Solids Clarendon Oxford.
- Berry, T., Ouardi, S., Fecher, G. H., Balke, B., Kreiner, G., Auffermann, G., ... & Felser, C. (2017). Improving thermoelectric performance of TiNiSn by mixing MnNiSb in the half-Heusler structure. *Physical Chemistry Chemical Physics*, 19(2), 1543–1550.
- Bhattacharya, S., Ponnambalam, V., Pope, A. L., Alboni, P. N., Xia, Y., Tritt, T. M., & Poon, S. J. (1999, August). Thermoelectric properties of Sb-doping in the TiNiSn<sub>1-x</sub> half-Heusler system. In *Thermoelectrics, 1999. Eighteenth International Conference on* (pp. 336–339). IEEE

- Bhattacharya, S., Skove, M. J., Russell, M., Tritt, T. M., Xia, Y., Ponnambalam, V., ... & Thadhani, N. (2008). Effect of boundary scattering on the thermal conductivity of TiNiSn-based half-Heusler alloys. *Physical Review B*, 77(18), 184203.
- Birch, F. (1947). Finite elastic strain of cubic crystals. *Physical Review*, 71(11), 809.
- Björkman, T. (2011). CIF2Cell: generating geometries for electronic structure programs. *Computer Physics Communications*, 182(5), 1183–1186.
- Blanco, M., Francisco, E., & Luana, V. (2004). GIBBS: isothermal-isobaric thermodynamics of solids from energy curves using a quasi-harmonic Debye model. *Computer Physics Communications*, 158(1), 57–72.
- Bodak, O., Romaka, L., Gorelenko, Y., Tkachuk, A., Davydov, V., & Stadnyk, Y. (2004). Crystal structure and physical properties of (Ti, Sc)NiSn and (Zr, Sc)NiSn solid solutions. *Journal of Alloys and Compounds*, 363(1–2), 10–14.
- Buckeridge, J., Scanlon, D. O., Walsh, A., & Catlow, C. R. A. (2014). Automated procedure to determine the thermodynamic stability of a material and the range of chemical potentials necessary for its formation relative to competing phases and compounds. *Computer Physics Communications*, 185(1), 330–338.
- Buschow, K. H. J., & Van Engen, P. G. (1981). Magnetic and magneto-optical properties of Heusler alloys based on aluminium and gallium. *Journal of Magnetism and Magnetic Materials*, 25(1), 90–96.
- Chachiyo, T. (2016). Communication: Simple and accurate uniform electron gas correlation energy for the full range of densities. *Journal of Chemical Physics*, 145(2), 021101.
- Chaput, L., Tobola, J., Pécheur, P., & Scherrer, H. (2006). Electronic structure and thermopower of Ni  $(\text{Ti}_{0.5}\text{Hf}_{0.5})\text{Sn}$  and related half-Heusler phases. *Physical Review B*, 73(4), 045121.

- Clementi, E., Raimondi, D., & Reinhardt, W. (1967). Atomic screening constants from SCF functions. II. Atoms with 37 to 86 electrons. *The Journal of Chemical Physics*, 47(4), 1300–1307.
- Colinet, C., Jund, P., & Tédenac, J.-C. (2014). NiTiSn a material of technological interest: ab initio calculations of phase stability and defects. *Intermetallics*, 46, 103–110.
- Cook, B., & Harringa, J. (1999). Electrical properties of some (1, 1, 1) intermetallic compounds. *Journal of materials science*, 34(2), 323–327.
- Ding, G., Gao, G. Y., & Yao, K. L. (2015). Examining the thermal conductivity of the half-Heusler alloy TiNiSn by first-principles calculations. *Journal of Physics D: Applied Physics*, 48(23), 235302.
- Douglas, J. E., Birkel, C. S., Verma, N., Miller, V. M., Miao, M. S., Stucky, G. D., ... & Seshadri, R. (2014). Phase stability and property evolution of biphasic Ti–Ni–Sn alloys for use in thermoelectric applications. *Journal of Applied Physics*, 115(4), 043720.
- Douglas, J. E., Chater, P. A., Brown, C. M., Pollock, T. M., & Seshadri, R. (2014). Nanoscale structural heterogeneity in Ni-rich half-Heusler TiNiSn. *Journal of Applied Physics*, 116(16), 163514.
- Eibl, O., Nielsch, K., Peranio, N., & Völklein, F. (Eds.). (2015). *Thermoelectric Bi<sub>2</sub>Te<sub>3</sub> Nanomaterials*. John Wiley & Sons.
- Eliassen, S. N., Katre, A., Madsen, G. K., Persson, C., Løvvik, O. M., & Berland, K. (2017). Lattice thermal conductivity of Ti<sub>x</sub>Zr<sub>y</sub>Hf<sub>1-x-y</sub>NiSn half-Heusler alloys calculated from first principles: Key role of nature of phonon modes. *Physical Review B*, 95(4), 045202.

- Felser, C., Fecher, G. H., & Balke, B. (2007). Spintronics: a challenge for materials science and solid-state chemistry. *Angewandte Chemie International Edition*, 46(5), 668–699.
- Fitzgerald, R. J. (2016). A simpler ingredient for a complex calculation. *Physics Today*, 69(9), 20–20.
- Fock, V. (1930). Näherungsmethode zur Lösung des quantenmechanischen Mehrkörperproblems. *Zeitschrift für Physik*, 61(1–2), 126–148.
- Freysoldt, C., Grabowski, B., Hickel, T., Neugebauer, J., Kresse, G., Janotti, A., & Van de Walle, C. G. (2014). First-principles calculations for point defects in solids. *Reviews of modern physics*, 86(1), 253.
- Fu, C., Bai, S., Liu, Y., Tang, Y., Chen, L., Zhao, X., & Zhu, T. (2015). Realizing high figure of merit in heavy-band p-type half-Heusler thermoelectric materials. *Nature communications*, 6, 8144.
- G. Kresse and J. Furthmüller, Comput. Mater. Sci. 6, 15 (1996). *Comput. Mater. Sci.*, 6, 15.
- G. Kresse and J. Furthmüller, Phys. Rev. B 54, 11169 (1996). *Phys. Rev. B*, 54, 11169.
- Giannozzi, P., Andreussi, O., Brumme, T., Bunau, O., Nardelli, M. B., Calandra, M., ... & Colonna, N. (2017). Advanced capabilities for materials modelling with Quantum ESPRESSO. *Journal of Physics: Condensed Matter*, 29(46), 465901.
- Giannozzi, P., Baroni, S., Bonini, N., Calandra, M., Car, R., Cavazzoni, C., ... & Dal Corso, A. (2009). QUANTUM ESPRESSO: a modular and open-source software project for quantum simulations of materials. *Journal of physics: Condensed matter*, 21(39), 395502.
- Giustino, F. (2014). *Materials modelling using density functional theory: properties and predictions*. Oxford University Press.

- González-Romero, R. L., & Meléndez, J. J. (2018). Variation of the zT factor of SnSe with doping: A first-principles study. *Journal of Alloys and Compounds*, 732, 536–546.
- Graf, T., Felser, C., & Parkin, S. S. (2011). Simple rules for the understanding of Heusler compounds. *Progress in solid state chemistry*, 39(1), 1–50.
- Gürth, M., Rogl, G., Romaka, V. V., Grytsiv, A., Bauer, E., & Rogl, P. (2016). Thermoelectric high ZT half-Heusler alloys  $Ti_{1-x-y}Zr_xHf_yNiSn$  ( $0 \leq x \leq 1$ ;  $0 \leq y \leq 1$ ). *Acta Materialia*, 104, 210–222.
- Hartree, D. R. (1928). The wave mechanics of an atom with a non-Coulomb central field. Part I. Theory and methods. In *Mathematical Proceedings of the Cambridge Philosophical Society* (Vol. 24, No. 01, pp. 89–110). Cambridge University Press.
- Hazama, H., Asahi, R., Matsubara, M., & Takeuchi, T. (2010). Study of Electronic Structure and Defect Formation in  $Ti_{1-x}Ni_{1+x}Sn$  Half-Heusler Alloys. *Journal of electronic materials*, 39(9), 1549–1553.
- Hazama, H., Matsubara, M., Asahi, R., & Takeuchi, T. (2011). Improvement of thermoelectric properties for half-Heusler TiNiSn by interstitial Ni defects. *Journal of Applied Physics*, 110(6), 063710.
- Hermet, P., Ayral, R.-M., Theron, E., Yot, P. G., Salles, F., Tillard, M., & Jund, P. (2014). Thermal Expansion of Ni-Ti-Sn Heusler and Half-Heusler Materials from First-Principles Calculations and Experiments. *The Journal of Physical Chemistry C*, 118(39), 22405–22411.
- Heusler, F., Starck, W., & Haupt, E. (1903). Magnetic-chemical studies. *Verh. Dtsch. Phys. Ges*, 5, 219–223.
- Hirao, K., & Kawamura, K. (1994). *Material design using personal computer*. Shokabo, Tokyo, 52.

- Hohenberg, P., & Kohn, W. (1964). Density functional theory. *Phys. Rev. B*, *136*, 864–876.
- Hohenberg, P., & Kohn, W. (1964). Inhomogeneous electron gas. *Physical Review*, *136*(3B), B864.
- Hohl, H., Ramirez, A. P., Goldmann, C., Ernst, G., Wölfling, B., & Bucher, E. (1999). Efficient dopants for ZrNiSn-based thermoelectric materials. *Journal of physics: Condensed matter*, *11*(7), 1697.
- Hurd, C. (2012). *The Hall effect in metals and alloys*. Springer Science & Business Media.
- Ida, Y. (1976). Interionic repulsive force and compressibility of ions. *Physics of the Earth and Planetary Interiors*, *13*(2), 97–104.
- Jain, A., Ong, S. P., Hautier, G., Chen, W., Richards, W. D., Dacek, S., ... & Persson, K. A. (2013). Commentary: The Materials Project: A materials genome approach to accelerating materials innovation. *Appl Materials*, *1*(1), 011002.
- Jeitschko, W. (1970). Transition metal stannides with MgAgAs and MnCu<sub>2</sub>Al type structure. *Metallurgical and Materials Transactions B*, *1*(11), 3159–3162.
- Julian, C. L. (1965). Theory of heat conduction in rare-gas crystals. *Physical review*, *137*(1A), A128.
- Jung, D.-y., Kuroasaki, K., Kim, C.-e., Muta, H., & Yamanaka, S. (2010). Thermal expansion and melting temperature of the half-Heusler compounds: MNiSn (M=Ti, Zr, Hf). *Journal of Alloys and Compounds*, *489*(2), 328–331.
- Katayama, T., Kim, S. W., Kimura, Y., & Mishima, Y. (2003). The effects of quaternary additions on thermoelectric properties of TiNiSn-based half-Heusler alloys. *Journal of electronic materials*, *32*(11), 1160–1165.

- Kim, H.-S., Gibbs, Z. M., Tang, Y., Wang, H., & Snyder, G. J. (2015). Characterization of Lorenz number with Seebeck coefficient measurement. *Appl Materials*, 3(4), 041506.
- Kim, K. S., Kim, Y. M., Mun, H., Kim, J., Park, J., Borisevich, A. Y., . . . Kim, S. W. (2017). Direct Observation of Inherent Atomic-Scale Defect Disorders responsible for High-Performance  $Ti_{1-x}HfxNiSn_{1-y}Sb_y$  Half-Heusler Thermoelectric Alloys. *Advanced materials*, 29(36).
- Kim, S.-W., Kimura, Y., & Mishima, Y. (2007). High temperature thermoelectric properties of TiNiSn-based half-Heusler compounds. *Intermetallics*, 15(3), 349–356.
- Kirievsky, K., Gelbstein, Y., & Fuks, D. (2013). Phase separation and antisite defects in the thermoelectric TiNiSn half-Heusler alloys. *Journal of Solid State Chemistry*, 203, 247–254.
- Kirievsky, K., Shlimovich, M., Fuks, D., & Gelbstein, Y. (2014). An ab initio study of the thermoelectric enhancement potential in nano-grained TiNiSn. *Physical Chemistry Chemical Physics*, 16(37), 20023–20029.
- Kittel, C., McEuen, P., & McEuen, P. (1996). *Introduction to solid state physics* (Vol. 8): Wiley New York.
- Kohn, W., & Sham, L. J. (1965). Self-consistent equations including exchange and correlation effects. *Physical review*, 140(4A), A1133.
- Kresse, G., & Hafner, J. (1993). Ab initio molecular dynamics for liquid metals. *Physical Review B*, 47(1), 558.
- Kresse, G., & Hafner, J. (1994). Ab initio molecular-dynamics simulation of the liquid-metal-amorphous-semiconductor transition in germanium. *Physical Review B*, 49(20), 14251.

- Kuentzler, R., Clad, R., Schmerber, G., & Dossmann, Y. (1992). Gap at the fermi level and magnetism in RMSn ternary compounds (R= Ti, Zr, Hf and M= Fe, Co, Ni). *Journal of Magnetism and Magnetic Materials*, 104, 1976–1978.
- Larson, P., Mahanti, S., & Kanatzidis, M. (2000). Structural stability of Ni-containing half-Heusler compounds. *Physical Review B*, 62(19), 12754.
- Lee, P.-J., Tseng, S. C., & Chao, L.-S. (2010). High-temperature thermoelectric properties of  $Ti_x(ZrHf)_{0.99-x}V_{0.01}Ni_{0.9}Pd_{0.1}Sn_{0.99}Sb_{0.01}$  half-Heusler alloys. *Journal of Alloys and Compounds*, 496(1–2), 620–623.
- Lei, Y., Cheng, C., Li, Y., Wan, R., & Wang, M. (2017). Microwave synthesis and enhancement of thermoelectric figure of merit in half-Heusler  $TiNiSb_xSn_{1-x}$ . *Ceramics International*, 43(12), 9343–9347.
- Li, G., An, Q., Aydemir, U., Goddard III, W. A., Wood, M., Zhai, P., . . . Snyder, G. J. (2016). Enhanced ideal strength of thermoelectric half-Heusler  $TiNiSn$  by sub-structure engineering. *Journal of Materials Chemistry A*, 4(38), 14625–14636.
- Li, Z., Xiao, C., Zhu, H., & Xie, Y. (2016). Defect chemistry for thermoelectric materials. *Journal of the American Chemical Society*, 138(45), 14810–14819.
- Liu, Y., Xie, H., Fu, C., Snyder, G. J., Zhao, X., & Zhu, T. (2015). Demonstration of a phonon-glass electron-crystal strategy in (Hf, Zr) NiSn half-Heusler thermoelectric materials by alloying. *Journal of Materials Chemistry A*, 3(45), 22716–22722.
- Lkhagvasuren, E., Ouardi, S., Fecher, G. H., Auffermann, G., Kreiner, G., Schnelle, W., & Felser, C. (2017). Optimized thermoelectric performance of the n-type half-Heusler material  $TiNiSn$  by substitution and addition of Mn. *AIP Advances*, 7(4), 045010.
- Madsen, G. K., & Singh, D. J. (2006). BoltzTraP. A code for calculating band-structure dependent quantities. *Computer Physics Communications*, 175(1), 67–71.

- McNaught, A. D., & McNaught, A. D. (1997). *Compendium of chemical terminology* (Vol. 1669). Oxford: Blackwell Science.
- Miyazaki, H., Nakano, T., Inukai, M., Soda, K., Izumi, Y., Muro, T., . . . Kimura, S.-i. (2014). Electronic and local crystal structures of the ZrNiSn half-Heusler thermoelectric material. *Materials Transactions*, 55(8), 1209–1214.
- Morse, P. M. (1929). Diatomic Molecules According to the Wave Mechanics. II. Vibrational Levels. *Physical Review*, 34(1), 57–64.
- Murnaghan, F. (1944). The compressibility of media under extreme pressures. *Proceedings of the National Academy of Sciences*, 30(9), 244–247.
- Muta, H., Kanemitsu, T., Kurosaki, K., & Yamanaka, S. (2006). Substitution effect on thermoelectric properties of ZrNiSn based half-Heusler compounds. *Materials Transactions*, 47(6), 1453–1457.
- Muta, H., Kanemitsu, T., Kurosaki, K., & Yamanaka, S. (2009). High-temperature thermoelectric properties of Nb-doped MNiSn (M= Ti, Zr) half-Heusler compound. *Journal of Alloys and Compounds*, 469(1), 50–55.
- Muta, H., Kanemitsu, T., Kurosaki, K., & Yamanaka, S. (2009). High-temperature thermoelectric properties of Nb-doped MNiSn (M= Ti, Zr) half-Heusler compound. *Journal of Alloys and Compounds*, 469(1–2), 50–55.
- Nikolaev, K., Kolbo, P., Pokhil, T., Peng, X., Chen, Y., Ambrose, T., & Mryasov, O. (2009). “All-Heusler alloy” current-perpendicular-to-plane giant magnetoresistance. *Applied Physics Letters*, 94(22), 222501.
- Nosé, S. (1984). A unified formulation of the constant temperature molecular dynamics methods. *The Journal of Chemical Physics*, 81(1), 511–519.
- Oberkampf, W. L., Trucano, T. G., & Hirsch, C. (2004). Verification, validation, and predictive capability in computational engineering and physics. *Applied Mechanics Reviews*, 57(5), 345–384.

- Ong, K. P., Singh, D. J., & Wu, P. (2011). Analysis of the thermoelectric properties of n-type ZnO. *Physical Review B*, 83(11), 115110.
- Page, A., Uher, C., Poudeu, P. F., & Van der Ven, A. (2015). Phase separation of full-Heusler nanostructures in half-Heusler thermoelectrics and vibrational properties from first-principles calculations. *Physical Review B*, 92(17), 174102.
- Pauling, L. (1938). The nature of the interatomic forces in metals. *Physical Review*, 54(11), 899.
- Perdew, J. P., Burke, K., & Ernzerhof, M. (1996). Generalized gradient approximation made simple. *Physical review letters*, 77(18), 3865.
- Poirier, J.-P. (2000). *Introduction to the Physics of the Earth's Interior*. Cambridge University Press.
- Rappe, A. M., Rabe, K. M., Kaxiras, E., & Joannopoulos, J. (1990). Optimized pseudopotentials. *Physical Review B*, 41(2), 1227.
- Rittiruam, M., Seetawan, T., Yohkasing, S., Matarat, K., Bach Thang, P., Kumar, M., & Han, J. G. (2016). La/Sm/Er Cation Doping Induced Thermal Properties of SrTiO<sub>3</sub> Perovskite. *Inorganic chemistry*, 55(17), 8822–8826.
- Rittiruam, M., Vora-Ud, A., Impho, W., & Seetawan, T. (2015). Prediction of Thermal Conductivity of Mg<sub>2</sub>X (X= Ge and Sn) by Molecular Dynamics. *Integrated Ferroelectrics*, 165(1), 61–72.
- Rittiruam, M., Yangthaisong, A., & Seetawan, T. (2018). Enhancing the thermoelectric properties of TiNiSn by transition metals co-doped on the Ti-site of Ti<sub>0.5</sub>TMI<sub>0.25</sub>TMII<sub>0.25</sub>NiSn: A first-principles study. *Journal of Applied Physics*, 124(17), 175101.
- Rittiruam, M., Yangthaisong, A., & Seetawan, T. (2018). Enhancing the Thermoelectric Performance of Self-Defect TiNiSn: A First-Principles Calculation. *Journal of Electronic Materials*, 47(12), 7456–7462.

- Rittiruam, M., Yangthaisong, A., & Seetawan, T. (2019). Reduced lattice thermal conductivity of Ti–site substituted transition metals  $Ti_{1-x}TM_xNiSn$ : A quasi-harmonic Debye model study. *Chinese Journal of Physics*, 57, 393–402.
- Rogl, G., Sauerschnig, P., Rykavets, Z., Romaka, V. V., Heinrich, P., Hinterleitner, B., ... & Rogl, P. (2017). (V, Nb)–doped half Heusler alloys based on  $[Ti, Zr, Hf]NiSn$  with high ZT. *Acta Materialia*, 131, 336–348.
- Romaka, L., Stadnyk, Y., Horyn, A., Shelyapina, M., Kasperovich, V., Fruchart, D., ... Wolfers, P. (2005). Electronic structure of the  $Ti_{1-x}Sc_xNiSn$  and  $Zr_{1-x}Sc_xNiSn$  solid solutions. *Journal of Alloys and Compounds*, 396(1), 64–68.
- Romaka, V. V., Rogl, P., Romaka, L., Stadnyk, Y., Melnychenko, N., Grytsiv, A., ... & Skryabina, N. (2013). Phase equilibria, formation, crystal and electronic structure of ternary compounds in Ti–Ni–Sn and Ti–Ni–Sb ternary systems. *Journal of Solid State Chemistry*, 197, 103–112.
- Rowe, D.M. (2006). *Thermoelectrics handbook: micro to nano*. Boca Raton: CRC Press.
- Sakurada, S., & Shutoh, N. (2005). Effect of Ti substitution on the thermoelectric properties of (Zr, Hf)NiSn half–Heusler compounds. *Applied Physics Letters*, 86(8), 082105.
- Sakurada, S., & Shutoh, N. (2005). Effect of Ti substitution on the thermoelectric properties of (Zr, Hf) NiSn half–Heusler compounds. *Applied Physics Letters*, 86(8), 082105.
- Savory, C. N., Ganose, A. M., & Scanlon, D. O. (2017). Exploring the  $PbS-Bi_2S_3$  series for next generation energy conversion materials. *Chemistry of Materials*, 29(12), 5156–5167.
- Schrade, M., Berland, K., Eliassen, S. N., Guzik, M. N., Echevarria–Bonet, C., Sørby, M. H., ... Gunnæs, A. E. (2017). The role of grain boundary scattering in reducing

- the thermal conductivity of polycrystalline XNiSn (X= Hf, Zr, Ti) half-Heusler alloys. *Scientific reports*, 7(1), 13760.
- Schulz, W. W., Allen, P. B., & Trivedi, N. (1992). Hall coefficient of cubic metals. *Physical Review B*, 45(19), 10886.
- Slack, G. A. (1979). The thermal conductivity of nonmetallic crystals. *Solid state physics*, 34, 1–71.
- Slater, J. C. (1936). The ferromagnetism of nickel. *Physical Review*, 49(7), 537.
- Slebarski, A., Orzechowska, M., Wrona, A., Szade, J., & Jezierski, A. (2000). Structural properties and electronic structure of some ternary d-electron and f-electron intermetallics. *Journal of Physics: Condensed Matter*, 12(7), 1269.
- Snyder, G. J., & Toberer, E. S. (2008). Complex thermoelectric materials. *Nature materials*, 7(2), 105–114.
- Snyder, G. J., & Toberer, E. S. (2011). Complex thermoelectric materials. In *Materials for Sustainable Energy: A Collection of Peer-Reviewed Research and Review Articles from Nature Publishing Group* (pp. 101–110).
- Sootsman, J. R., Chung, D. Y., & Kanatzidis, M. G. (2009). *New and old concepts in thermoelectric materials*. Angewandte Chemie International Edition, 48(46), 8616–8639.
- Stadnyk, Y., Horyn, A., Romaka, V., Gorelenko, Y., Romaka, L., Hlil, E., & Fruchart, D. (2010a). Crystal, electronic structure and electronic transport properties of the  $Ti_{1-x}V_xNiSn$  ( $x= 0\text{--}0.10$ ) solid solutions. *Journal of Solid State Chemistry*, 183(12), 3023–3028.
- Stadnyk, Y., Horyn, A., Romaka, V., Gorelenko, Y., Romaka, L., Hlil, E., & Fruchart, D. (2010b). Crystal, electronic structure and electronic transport properties of the  $Ti_{1-x}V_x NiSn$  ( $x= 0\text{--}0.10$ ) solid solutions. *Journal of Solid State Chemistry*, 183(12), 3023–3028.

- Stopa, T., Tobola, J., Kaprzyk, S., Hlil, E., & Fruchart, D. (2006). Resistivity and thermopower calculations in half-Heusler  $Ti_{1-x}Sc_xNiSn$  alloys from the KKR-CPA method. *Journal of physics: Condensed matter*, 18(27), 6379.
- Sun, J., & Singh, D. J. (2016). Thermoelectric properties of n-type SrTiO<sub>3</sub>. *APL Materials*, 4(10), 104803.
- Tang, M., & Zhao, J. (2009). Low temperature transport and thermal properties of half-Heusler alloy Zr<sub>0.25</sub>Hf<sub>0.25</sub>Ti<sub>0.5</sub>NiSn. *Journal of Alloys and Compounds*, 475(1-2), 5–8.
- Tobola, J., Jodin, L., Pecheur, P., & Venturini, G. (2004). Unusual electron structure and electron transport properties of some disordered half-Heusler phases. *Journal of Alloys and Compounds*, 383(1-2), 328–333.
- Togo, A., Chaput, L., & Tanaka, I. (2015). Distributions of phonon lifetimes in Brillouin zones. *Physical Review B*, 91(9), 094306.
- Togo, A., Oba, F., & Tanaka, I. (2008). First-principles calculations of the ferroelastic transition between rutile-type and CaCl<sub>2</sub>-type SiO<sub>2</sub> at high pressures. *Physical Review B*, 78(13), 134106.
- Toher, C., Plata, J. J., Levy, O., de Jong, M., Asta, M., Nardelli, M. B., & Curtarolo, S. (2014). High-throughput computational screening of thermal conductivity, Debye temperature, and Grüneisen parameter using a quasiharmonic Debye model. *Physical Review B*, 90(17), 174107.
- Uher, C., Yang, J., Hu, S., Morelli, D., & Meisner, G. (1999). Transport properties of pure and doped MNiSn (M= Zr, Hf). *Physical Review B*, 59(13), 8615.
- Van de Walle, C. G., & Neugebauer, J. (2004). First-principles calculations for defects and impurities: Applications to III-nitrides. *Journal of applied physics*, 95(8), 3851–3879.

- Verlet, L. (1967). Computer" experiments" on classical fluids. I. Thermodynamical properties of Lennard–Jones molecules. *Physical Review*, 159(1), 98.
- Vilars, P., & Calvert, L. (1991). *Pearson's Handbook of Crystallographic Data*. ASM, Metals Park, Ohio, 645–646.
- Vinet, P., Rose, J. H., Ferrante, J., & Smith, J. R. (1989). Universal features of the equation of state of solids. *Journal of Physics: Condensed Matter*, 1(11), 1941.
- Wambach, M., Stern, R., Bhattacharya, S., Ziolkowski, P., Müller, E., Madsen, G. K., & Ludwig, A. (2016). Unraveling Self-Doping Effects in Thermoelectric TiNiSn Half-Heusler Compounds by Combined Theory and High-Throughput Experiments. *Advanced Electronic Materials*, 2(2), 1500208.
- Wang, C., Chen, S., Yang, J. H., Lang, L., Xiang, H. J., Gong, X. G., ... & Wei, S. H. (2014). Design of I<sub>2</sub>–II–IV–VI<sub>4</sub> semiconductors through element substitution: the thermodynamic stability limit and chemical trend. *Chemistry of Materials*, 26(11), 3411–3417.
- Wang, L. L., Miao, L., Wang, Z. Y., Wei, W., Xiong, R., Liu, H. J., ... & Tang, X. F. (2009). Thermoelectric performance of half-Heusler compounds TiNiSn and TiCoSb. *Journal of Applied Physics*, 105(1), 013709.
- Wang, L., Miao, L., Wang, Z., Wei, W., Xiong, R., Liu, H., ... Tang, X. (2009). Thermoelectric performance of half-Heusler compounds TiNiSn and TiCoSb. *Journal of Applied Physics*, 105(1), 013709.
- Wernick, J. H., Hull, G. W., Geballe, T. H., Bernardini, J. E., & Waszczak, J. V. (1983). Superconductivity in ternary Heusler intermetallic compounds. *Materials Letters*, 2(2), 90–92.
- Wigner, E. (1932). On the quantum correction for thermodynamic equilibrium. *Physical Review*, 40(5), 749.

- Wu, F., Mizukami, S., Watanabe, D., Naganuma, H., Oogane, M., Ando, Y., & Miyazaki, T. (2009). Epitaxial Mn<sub>2.5</sub>Ga thin films with giant perpendicular magnetic anisotropy for spintronic devices. *Applied Physics Letters*, 94(12), 122503.
- Xie, H.-H., Mi, J.-L., Hu, L.-P., Lock, N., Chirstensen, M., Fu, C.-G., . . . Zhu, T.-J. (2012). Interrelation between atomic switching disorder and thermoelectric properties of ZrNiSn half-Heusler compounds. *CrystEngComm*, 14(13), 4467–4471.
- Yang, J., Chen, L., Meisner, G., & Uher, C. (2002). U.S. Patent Application No. 10/318,334.
- Yonggang, G. Y., Zhang, X., & Zunger, A. (2017). Natural off-stoichiometry causes carrier doping in half-Heusler filled tetrahedral structures. *Physical Review B*, 95(8), 085201.
- Zhang, X., Wang, Y., Yan, Y., Wang, C., Zhang, G., Cheng, Z., . . . Zhang, J. (2016). Origin of high thermoelectric performance of FeNb<sub>1-x</sub>Zr/Hf<sub>x</sub>Sb<sub>1-y</sub>Sn<sub>y</sub> alloys: A first-principles study. *Scientific reports*, 6, 33120.
- Zhu, Z., Cheng, Y., & Schwingenschlögl, U. (2011). Vacancy induced half-metallicity in half-Heusler semiconductors. *Physical Review B*, 84(11), 113201.
- Zou, D., Xie, S., Liu, Y., Lin, J., & Li, J. (2013). Electronic structure and thermoelectric properties of half-Heusler Zr<sub>0.5</sub>Hf<sub>0.5</sub>NiSn by first-principles calculations. *Journal of Applied Physics*, 113(19), 193705.